

Page 1/9

Revision: April 1, 2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Super Lube® High Temperature E.P. Grease with Syncolon®

· Article number: No other identifiers

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Lubricant

1.3 Details of the supplier of the Safety Data Sheet
Manufacturer/Supplier: Kano Laboratories LLC
24 DaVinci Dr., P.O. Box 405 Bohemia, NY 11716
Telephone: 631-567-5300 Email: info@super-lube.com
1.4 Emergency telephone number:

ChemTel

1-800-255-3924 (US/Canada), 1-813-248-0585 (International), 1-300-954-583 (Australia), 0-800-591-6042 (Brazil), 400-120-0751 (China), 000-800-100-4086 (India), 800-099-0731 (Mexico)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EU) No 2015/830

The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation.

· Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification quideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. Additional information: 0 percent of the mixture consists of component(s) of unknown toxicity There are no other hazards not otherwise classified that have been identified. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is not classified as hazardous according to OSHA GHS regulations within the United States. This product does not have a classification according to the CLP regulation. · Hazard pictograms Not Regulated · Signal word Not Regulated

(Contd. on page 2)

Revision: April 1, 2024

	(Contd. of page
· Hazard-determining components of labelling: None.	
· Hazard statements Not Regulated	
Precautionary statements Not Regulated	
Hazard description:	
WHMIS-symbols: Not hazardous under WHMIS.	
NFPA ratings (scale 0 - 4)	
Health = 0 Fire = 1 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTHImage: OFIREImage: TFIREImage: TReactivityImage: O	
· HMIS Long Term Health Hazard Substances	
None of the ingredients are listed.	
2.3 Other hazards	
 Results of PBT and vPvB assessment 	
 • PBT: Not applicable. • vPvB: Not applicable. 	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: None in reportable quantities.

Additional information:

For the wording of the listed risk phrases refer to section 16.

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn.

(Contd. on page 3)

Revision: April 1, 2024

(Contd. of page 2)

Trade name: Super Lube® High Temperature E.P. Grease with Syncolon®

Seek medical treatment in case of complaints.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause gastro-intestinal irritation if ingested. Acne

· Hazards No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Store away from oxidising agents.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

Revision: April 1, 2024

7.2 Conditions for safe storage, including any incom Storage: Requirements to be met by storerooms and receptar Avoid storage near extreme heat, ignition sources or ope Information about storage in one common storage for Do not store together with oxidising and acidic materials Further information about storage conditions: None 7.3 Specific end use(s) No further relevant information	cles: en flame. acility:
Storage: Requirements to be met by storerooms and receptad Avoid storage near extreme heat, ignition sources or ope Information about storage in one common storage for Do not store together with oxidising and acidic materials Further information about storage conditions: None	cles: en flame. acility:
Requirements to be met by storerooms and receptar Avoid storage near extreme heat, ignition sources or op Information about storage in one common storage f Do not store together with oxidising and acidic materials Further information about storage conditions: None	en flame. acility:
Information about storage in one common storage f Do not store together with oxidising and acidic materials Further information about storage conditions: None	acility:
Do not store together with oxidising and acidic materials Further information about storage conditions: None.	
Further information about storage conditions: None.	
7.3 Specific end use(s) No further relevant information	available.
SECTION 8: Exposure controls/personal pr	otection
Additional information about design of technical fac	ilities: No further data; see item 7.
8.1 Control parameters	
Ingredients with limit values that require monitoring	
The product does not contain any relevant quantities monitored at the workplace.	of materials with critical values that have to
DNELs No further relevant information available.	
PNECs No further relevant information available.	
Additional information: The lists valid during the making	ng were used as basis.
8.2 Exposure controls	
Personal protective equipment:	
General protective and hygienic measures: The usual precautionary measures are to be adhered to	when handling chemicals
Avoid contact with the eyes and skin.	
Respiratory protection: Not required under normal cor	uditions of use
Protection of hands:	
Gloves not required under normal conditions of use.	
Wear protective gloves to handle contents of damaged of	
The glove material has to be impermeable and resistant Selection of the glove material on consideration of t	
degradation.	
Material of gloves	
The selection of the suitable gloves does not only dep	
quality and varies from manufacturer to manufactu substances, the resistance of the glove material can no	
checked prior to the application.	
Penetration time of glove material	
The exact break through time has to be found out by the	e manufacturer of the protective gloves and has
be observed. Eye protection:	
Safety glasses	

Revision: April 1, 2024

Trade name: Super Lube® High Temperature E.P. Grease with Syncolon®

(Contd. of page 4)

Body protection: Not required under normal conditions of use.
 Limitation and supervision of exposure into the environment No special requirements.

· Risk management measures No special requirements.

9.1 Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Semi-solid	
Colour:	Translucent	
· Odour: · Odour threshold:	Mild Not determined.	
pH-value:	Not determined.	
· · Change in condition		
Melting point/Melting range:	Not Determined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	>260°C (>500°F)	
· Flammability (solid, gaseous):	Not applicable.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C (68 °F):	0,89 g/cm³ (7,427 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
· Evaporation rate	Not determined.	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water):		
· Viscosity:	Not determined.	
Dynamic:		
Kinematic:	Not determined.	
		(Contd. on pag

Revision: April 1, 2024

Trade name: Super Lube® High Temperature E.P. Grease with Syncolon®

• 9.2 Other information

No further relevant information available.

(Contd. of page 5)

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• **10.3 Possibility of hazardous reactions** Reacts with strong acids and oxidising agents.

· 10.4 Conditions to avoid

Avoid acids.

Excessive heat.

• **10.5 Incompatible materials:** No further relevant information available.

• **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification: None.

· Primary irritant effect:

• on the skin: No irritant effect.

· on the eye: No irritating effect.

• Sensitisation: No sensitising effects known.

• Subacute to chronic toxicity: No further relevant information available.

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

May cause acne.

• Repeated dose toxicity: No further relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): See Section 15.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• **12.2 Bioaccumulative potential** No further relevant information available.

• **12.3 Mobility in soil** No further relevant information available.

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

Revision: April 1, 2024

(Contd. of page 6)

Trade name: Super Lube® High Temperature E.P. Grease with Syncolon®

Avoid transfer into the environment.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

12.4 Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

• 12.5 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
 14.2 UN proper shipping name 	
DOT, ADR, ADN, IMDG, IATA	Not Regulated
 14.3 Transport hazard class(es) 	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not Regulated
· 14.4 Packing group	
 DOT, ADR, IMDG, IATA 14.5 Environmental hazards: 	Not Regulated
• Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

(Contd. on page 8)

Revision: April 1, 2024

Trade name: Super Lube® High Temperature E.P. Grease with Syncolon®

(Contd. of page 7)

N · S	ection 355 (extremely hazardous substances):
· S	
	lone of the ingredients are listed.
	ection 313 (Specific toxic chemical listings):
N	lone of the ingredients are listed.
٠T	SCA (Toxic Substances Control Act):
Α	Il ingredients are listed.
	roposition 65 (California):
· C	chemicals known to cause cancer:
Ν	lone of the ingredients is listed.
	hemicals known to cause reproductive toxicity for females:
Ν	lone of the ingredients are listed.
·C	hemicals known to cause reproductive toxicity for males:
Ν	lone of the ingredients are listed.
· C	hemicals known to cause developmental toxicity:
Ν	lone of the ingredients are listed.
	arcinogenic Categories
	PA (Environmental Protection Agency)
Ν	lone of the ingredients are listed.
	ARC (International Agency for Research on Cancer)
9	002-84-0 Polytetrafluoroethylene
·T	LV (Threshold Limit Value established by ACGIH)
Ν	lone of the ingredients are listed.
·N	IOSH-Ca (National Institute for Occupational Safety and Health)
Ν	lone of the ingredients are listed.
· C	anada
·C	anadian Domestic Substances List (DSL)
A	Il ingredients are listed.
·C	canadian Ingredient Disclosure list (limit 0.1%)
Ν	lone of the ingredients are listed.
C	anadian Ingredient Disclosure list (limit 1%)
Ν	lone of the ingredients are listed.

(Contd. on page 9)

Revision: April 1, 2024

(Contd. of page 8)

Trade name: Super Lube® High Temperature E.P. Grease with Syncolon®

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Sources SDS created by: Environmental Protection Department