acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Page: 1/8 Revision: April 1, 2024

1 Identification

[•] Product identifier

· Trade name: Super Lube® Railroad Grease with Syncolon®

· Article number: No other identifiers

· Recommended use and restriction on use

· Recommended use: Lubricant

· Restrictions on use: See Sections 8 and 10 for further information.

[•] Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: Kano Laboratories LLC 24 DaVinci Dr., P.O. Box 405 Bohemia, NY 11716 Telephone: 631-567-5300 Email: info@super-lube.com

· Emergency telephone number:

ChemTel 1-800-255-3924 (US/Canada), 1-813-248-0585 (International), 1-300-954-583 (Australia), 0-800-591-6042 (Brazil), 400-120-0751 (China), 000-800-100-4086 (India), 800-099-0731 (Mexico)

2 Hazard(s) identification

[•] Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

[·] Label elements

· GHS label elements Not regulated.

- · Hazard pictograms: Not regulated.
- · Signal word: Not regulated.

· Hazard statements: Not regulated.

· Precautionary statements: Not regulated.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components: None in reportable quantities.

4 First-aid measures

Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Railroad Grease with Syncolon® (Cont'd. of page 1) · After eye contact: Rinse opened eye for several minutes under running water. Remove contact lenses if worn. Seek medical treatment in case of complaints. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: May cause gastro-intestinal irritation if ingested. Acne · Indication of any immediate medical attention and special treatment needed: No relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide

• For safety reasons unsuitable extinguishing agents: Water stream.

• Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Railroad Grease with Syncolon®

(Cont'd. of page 2)

7 Handling and storage

· Handling

Precautions for safe handling:

Store away from oxidizing agents. Open and handle receptacle with care. Keep out of reach of children.

· Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Eye protection:**



Safety glasses

(Cont'd. on page 4)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Railroad	Grease with Syncolon®
----------------------------------	-----------------------

(Cont'd. of page 3)

· Body protection:

Not required under normal conditions of use. Protection may be required for spills.

· Limitation and supervision of exposure into the environment No special requirements.

· Risk management measures No special requirements.

Information on basic physical a	and chemical properties	
Appearance:		
Form:	Semi-solid	
Color:	Translucent	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	>220 °C (>428 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	0.89	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Railroad Grease with Syncolon®

(Cont'd. of page 4)

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.

· Conditions to avoid Avoid acids.

· Incompatible materials No relevant information available.

· Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

· On the skin: Based on available data, the classification criteria are not met.

• On the eye: Based on available data, the classification criteria are not met.

· Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

· STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

- · Bioaccumulative potential: No relevant information available.
- **Mobility in soil:** No relevant information available.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Railroad Grease with Syncolon®

(Cont'd. of page 5)

[•] Additional ecological information

· General notes: Avoid transfer into the environment.

[•] Results of PBT and vPvB assessment

· PBT: Not applicable.

· **vPvB:** Not applicable.

• Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IATA, IMDG, TDG	Not regulated.	
UN proper shipping name DOT, IATA, IMDG, TDG	Not regulated.	
Transport hazard class(es)		
DOT, IATA, IMDG, TDG		
Class	Not regulated.	
Packing group		
DOT, IATA, IMDG, TDG	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	(II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Railroad Grease with Syncolon®

(Cont'd. of page 6)

mix	ed States (USA)
Sect	ion 302 (extremely hazardous substances):
None	e of the ingredients are listed.
Sect	ion 355 (extremely hazardous substances):
None	e of the ingredients are listed.
Sect	ion 313 (Specific toxic chemical listings):
None	e of the ingredients are listed.
TSC	A (Toxic Substances Control Act)
All in	gredients are listed.
Prop	oosition 65 (California)
Che	micals known to cause cancer:
None	e of the ingredients are listed.
	micals known to cause reproductive toxicity for females:
None	e of the ingredients are listed.
Che	micals known to cause reproductive toxicity for males:
None	e of the ingredients are listed.
Che	micals known to cause developmental toxicity:
None	e of the ingredients are listed.
	inogenic categories
	(Environmental Protection Agency):
None	e of the ingredients are listed.
IAR	C (International Agency for Research on Cancer):
None	e of the ingredients are listed.
NIO	SH-Ca (National Institute for Occupational Safety and Health):
None	e of the ingredients are listed.
Can	adian Domestic Substances List (DSL):
All in	gredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision July 17, 2017 / -

· Abbreviations and acronyms:

TDG: Transportation of Dangerous Goods Regulations

(Cont'd. on page 8)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Railroad Grease with Syncolon® (Cont'd. of page 7) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: Environmental Protection Department