

Page 1/9

Revision: April 1, 2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: Super Lube® Silicone Oil · Article number: No other identifiers · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Lubricant · 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Kano Laboratories LLC 24 DaVinci Dr., P.O. Box 405 Bohemia, NY 11716 Telephone: 631-567-5300 Email: info@super-lube.com 1.4 Emergency telephone number: ChemTel 1-800-255-3924 (US/Canada), 1-813-248-0585 (International), 1-300-954-583 (Australia), 0-800-591-6042 (Brazil), 400-120-0751 (China), 000-800-100-4086 (India), 800-099-0731 (Mexico) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EU) No 2015/830 The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation. · Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · Additional information: There are no other hazards not otherwise classified that have been identified. 0 percent of the mixture consists of component(s) of unknown toxicity · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is not classified as hazardous according to OSHA GHS regulations within the United States. This product does not have a classification according to the CLP regulation. · Hazard pictograms Not Regulated · Signal word Not Regulated (Contd. on page 2)

Revision: April 1, 2024

Trade name: Super Lube® Silicone Oil	
	(Contd. of page 1)
 Hazard-determining components of labelling: None. Hazard statements Not Regulated Additional information: EUH210 Safety data sheet available on request. Hazard description: WHMIS-symbols: Not hazardous under WHMIS. NFPA ratings (scale 0 - 4) 	
Health = 1 Fire = 1 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH1Health = 1FIRE1Fire = 1REACTIVITY0Reactivity = 0	
· HMIS Long Term Health Hazard Substances	
None of the ingredients are listed.	
 • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable. 	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: CAS-No: 63148-62-9

Poly(Dimethyl)Siloxane

100%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Revision: April 1, 2024

de name: Super Lube® Silicone Oil	
	(Contd. of page
If skin irritation is experienced, consult a doctor.	
After eye contact:	
Rinse opened eye for several minutes under running water. Remove contact lenses if worn.	
Seek medical treatment in case of complaints.	
After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help if symptoms occur.	
4.2 Most important symptoms and effects, both acute and delayed	
May cause gastro-intestinal irritation if ingested.	
Hazards	
May be harmful if swallowed.	
May be harmful in contact with skin.	
4.3 Indication of any immediate medical attention and special treatment	nt needed
No further relevant information available.	
SECTION 5: Firefighting measures	
5.1 Extinguishing media Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet	surrounding conditions.
Suitable extinguishing agents: Use fire extinguishing methods suitable to	surrounding conditions.
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available.	surrounding conditions.
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.	surrounding conditions.
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proced	
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceed Ensure adequate ventilation	
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceed Ensure adequate ventilation Particular danger of slipping on leaked/spilled product.	dures
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceed Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or g	dures
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceed Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or g 6.3 Methods and material for containment and cleaning up:	dures ground water.
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceet Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or g 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal	dures ground water.
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceet Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or g 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal Pick up mechanically.	dures ground water.
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceed Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or g 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal Pick up mechanically. Dispose contaminated material as waste according to item 13.	dures ground water.
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceet Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or g 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal Pick up mechanically.	dures ground water.
Suitable extinguishing agents: Use fire extinguishing methods suitable to For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information No further relevant information available. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency proceed Ensure adequate ventilation Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or g 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal Pick up mechanically. Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections	dures ground water.

(Contd. on page 4)

Revision: April 1, 2024

Trade name: Super Lube® Silicone Oil

(Contd. of page 3)

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Store away from oxidising agents.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

• Further information about storage conditions: Store in cool, dry, ventilated area.

• **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• **DNELs** No further relevant information available.

• **PNECs** No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

This product can form formaldehyde vapors when heated to temperatures above 150°C in the presence of air.

The usual precautionary measures are to be adhered to when handling chemicals.

- Avoid contact with the eyes and skin.
- Respiratory protection: Not required under normal conditions of use.
- Protection of hands:

Gloves not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Revision: April 1, 2024

ade name: Super Lube® Silicone Oil	de name: Super Lube® Silicone Oil		
	(Contd. of page		
· Eye protection:			
Safety glasses			
Body protection: Not required unde Limitation and supervision of expo	r normal conditions of use. Disure into the environment No special requirements.		
· Risk management measures No sp			
SECTION 9: Physical and ch	amical properties		
•			
 9.1 Information on basic physical a General Information 	and chemical properties		
· Appearance:			
Form:	Liquid		
Colour: · Odour:	Translucent Odorless		
· Odour threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	Not Determined.		
Boiling point/Boiling range:	Undetermined.		
· Flash point:	300 °C (572 °F) (Closed cup according Aftnor T60103.)		
[.] Flammability (solid, gaseous):	Not applicable.		
· Auto/Self-ignition temperature:	>752 °F (400 °C)		
· Decomposition temperature:	>392 °F (200 °C)		
· Self-igniting:	Product is not self-igniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined. <0.1 hPa (20 °C)		
· Vapour pressure:			
 Density at 20 °C (68 °F): Relative density 	Not determined. 0.97 (20 °C (68 °F)) Approximately		
· Vapour density	Not determined.		
· Evaporation rate	Not determined.		
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/wat	ter): Not determined		
	ter in the determined.		
	(Contd. on page		

of page 5)

Safety Data Sheet according to (EU) 2015 / 830 and OSHA GHS

Revision: April 1, 2024

Trade name: Super Lube® Silicone Oil

		(Contd. d
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	100-5000 mm²/s (77 °F (25 °C))	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Will not occur.
- 10.4 Conditions to avoid None known.
- 10.5 Incompatible materials: Strong oxidizers, acids and bases.
- **10.6 Hazardous decomposition products:** Thermal decomposition may liberate dimethylcyclosiloxanes. This product can form formaldehyde vapors when heated to temperatures above 150 °C in the presence of air.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

• LD/LC50 values relevant for classification: Oral LD50 (Rat): > 5,000 mg/kg Dermal LD50 (Rat): >2,000 mg/kg

Primary irritant effect:

on the skin: Slight irritant effect on skin and mucous membranes.

on the eye: Slight irritant effect on eyes.

Sensitisation: No sensitising effects known.

Subacute to chronic toxicity: No further relevant information available.

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

• Repeated dose toxicity: No further relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): See Section 15.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: Not expected to be harmful to the environment.

· 12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

Revision: April 1, 2024

(Contd. of page 6)

Trade name: Super Lube® Silicone Oil

· Additional ecological information:

· General notes:

Avoid transfer into the environment.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): not hazardous for water

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	n	
· 14.1 UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
14.2 UN proper shipping name	-	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated	
 14.3 Transport hazard class(es) 		
· DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
· 14.4 Packing group		
DOT, ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

(Contd. on page 8)

Revision: April 1, 2024

Trade name: Super Lube® Silicone Oil

(Contd. of page 7)

(Contd. on page 9)

U	5.1 Safety, health and environmental regulations/legislation specific for the substance or mixtu nited States (USA) ARA
S	ection 355 (extremely hazardous substances):
N	one of the ingredients are listed.
S	ection 313 (Specific toxic chemical listings):
N	one of the ingredients are listed.
Т	SCA (Toxic Substances Control Act):
A	Il ingredients are listed.
	roposition 65 (California):
С	hemicals known to cause cancer:
N	one of the ingredients is listed.
С	hemicals known to cause reproductive toxicity for females:
N	one of the ingredients are listed.
С	hemicals known to cause reproductive toxicity for males:
N	one of the ingredients are listed.
С	hemicals known to cause developmental toxicity:
N	one of the ingredients are listed.
С	arcinogenic Categories
	PA (Environmental Protection Agency)
N	one of the ingredients are listed.
	ARC (International Agency for Research on Cancer)
N	one of the ingredients are listed.
T	LV (Threshold Limit Value established by ACGIH)
N	one of the ingredients are listed.
Ν	IOSH-Ca (National Institute for Occupational Safety and Health)
N	one of the ingredients are listed.
C	anada
	anadian Domestic Substances List (DSL)
Al	Il ingredients are listed.
	anadian Ingredient Disclosure list (limit 0.1%)
N	one of the ingredients are listed.
С	anadian Ingredient Disclosure list (limit 1%)
N	one of the ingredients are listed.
	ther regulations, limitations and prohibitive regulations his product has been classified in accordance with hazard criteria of the Controlled Products Regulati

Revision: April 1, 2024

Trade name: Super Lube® Silicone Oil

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LD50: Lethal dose, 50 percent

· Sources

SDS Prepared by: Environmental Protection Department (Contd. of page 8)